Instalação Delphi - Novo Método

1. Instalação executável

Realizar a instalação do **radstudio10_2_3_esd__93231.exe** no caminho ***F:\Delphi\INSTALACAO\Tokyo .***



> Se ocorrer erro na instalação pode ser a rede da SuperSoft bloqueando

2. Checkout do Trunk

Fazer o checkout de

https://svn.supersoft.com.br:8443/svn/desenvolvimento/trunk/CodigoBaseSkin para **C:\Codigo Fonte**

3. Executar AutoConfigurador

Executar o **AutoConfigDelphiTokyo.exe** como **ADMNISTRADOR.**

Caminho: ***C:\Codigo Fonte\Componentes Instalados***

4. Trocar library do delphi

Acessar https://wiki.supersoft.com.br/books/organizacao-e-dinamica-de-casos/page/adicionareditar-library

Observação: Utilizar a library.txt anexada nessa página.

> A library.txt pode estar atualizada, verificar com um desenvolvedor para pegar uma versão mais recente

5. Checkout do ACBrTemp

Realizar o checkout do

https://svn.supersoft.com.br:8443/svn/desenvolvimento/outros/ACBrTemp para **C:\Componentes**

Renomear a pasta do ACBrTemp para ACBr.

6. Instalar o GExperts

Realizar o download do **Delphi/RAD Studio 10.2 Tokyo (2.3 MB, Early Beta)** no site **https://www.gexperts.org/download/** .



7. Instalar Packages

7.1. FastReport

Acessar **https://wiki.supersoft.com.br/books/ferramentas-lHa/page/instalacao-38b**

7.2. ACBr

Revision #8
Created 17 June 2025 18:13:38 by Guest
Updated 17 June 2025 19:46:15 by Pedro Henrique Pontes